KOWRKRS
WORKS FOR ALL

SAFETY . DURABILITY . HIGH EFFICIENCY



地址: 河南省郑州市玉凤路333号发展东郡 邮编: 450003
Address: No.333 Yufeng Road Zhengzhou China. PC: 450003
Tel: +86-371-66892113 / 66893113 Fax: +86-371-66892117
E-mail: info@dg-tools.cn
Web: www.dg-tools.cn

Dealer:

All product illustrated in this catalog are for illustration purposes only, the actual product may vary in size and design.
All product featured in this catalog are subject to change in term of price and availability.

KOWRKRS
WORKS FOR ALL



PRODUCT CATALOGUE



COMPANY **PROFILE**

KOWRKRS, locates in the largest synthetic diamond producing base of China, the Zhengzhou city. We professionally manufacture all kinds of diamond saw blades, Diamond grinding wheels.

Our first factory was established in 1992. After 16 years development, we have three factories, 30000 square meters workshop now. Our 50 engineers and 400 workers, could meets your design, production and delivery requirements in time.

In 2008, we established our sub company "KOWRKRS" to open up our international trading business. The "KOWRKRS" brand, relying on the honest management and transcendent product quality. After two year 's development, we have exported our products to Europe, North America, South East Asia, South America and Africa successfully.

KOWRKRS is a self-run import and export trading company, mainly engaged in all kinds of hardware tools, such as diamond cutter, T.C.T saw blade abrasive tools ,bit and other products. Our factories operate all the procedures according to ISO9001-2000 strictly, Now most of our products have got EN12413, EN13236, MPA, ISO9001 certificates.

We always look forward to building the long term cooperation relationship with our esteemed customers!

We hope to create the future with you together!

WHAT WE DO BETTER **BUSINESS**

Our brand "KOWRKRS"will be based on both the domestic and international markets, synchronous development, on the basis of innovation management and scientific management ,keep steady quick development.

By the end of 2013,the total number of foreign enterprises to cooperate with our company beaks through 1000,sales are increasing year by year. The international market is taking shape. Brand benefit, management and service will realize all-around improvement. Strive to enter the world top 500.

By now, strive ti go public in the domestic market, enter into the first-class enterprises.





KOWRKRS
WORKS FOR ALL

KOWRKRS
WORKS FOR ALL



CONTENT

ABRASIVE - Cutting Wheel 04

ABRASIVE - Grinding Wheel 05

DIAMOND SAW BLADE - Segmented 06

DIAMOND SAW BLADE - Continuous 07

DIAMOND SAW BLADE - Turbo 08

T.C.T - Wood Cutting Saw Blade 09

T.C.T - Metal Cutting Saw Blade 10

Safety Signs





CUTTING WHEEL

ABRASIVE



SPECIFICATION CUTTING WHEEL

DIMENSION		SHAPE	SPEED	SPEED	SLICE/ BOX	OUTER SPECIFICATIONS
mm	inc		R.P.M	m/s		
105x1x16	4x1/24x5/8		15300	80	800	345x175x235
115x1x22	4 1/2x1/24x7/8		13200	80	400	255x170x260
115x1.6x22	4 1/2x1/16x7/8		13200	80	400	255x220x260
115x3x22	4 1/2x1/8x7/8		13200	80	200	320x260x135
125x1x22	5x1/24x7/8		12000	80	200	280x200x155
125x1.5x22	5x1/18x7/8		12000	80	200	280x200x155
125x1.6x22	5x1/16x7/8		12000	80	200	280x200x155
125x3x22	5x1/8x7/8		12000	80	200	320x280x145
150x1.6x22	6x1/16x7/8		9700	80	200	330x245x170
150x2x22	6x5/64x7/8		9700	80	200	330x330x180

DIMENSION		SHAPE	SPEED	SPEED	SLICE/ BOX	OUTER SPECIFICATIONS
mm	inc		R.P.M	m/s		
180x1.6x22	7x1/16x7/8		8100	80	200	270x200x200
180x2x22	7x5/64x7/8		8100	80	100	270x200x200
180x3x22	7x1/8x7/8		8100	80	100	395x200x200
230x1.8x22	9x1/14x7/8		6200	80	100	295x250x250
230x2x22	9x5/64x7/8		6200	80	100	295x250x250
230x3x22	9x1/8x7/8		6200	80	50	250x190x250
250x2x25.4	10x5/64x1		5700	80	60	280x270x160
300x3x25.4	12x1/8x1		4800	80	25	310x95x310
350x3x25.4	14x1/8x1		4100	80	25	380x95x425
405x3x25.4	16x1/8x1		3600	80	25	425x95x425

GRINDING WHEEL



ABRASIVE





SPECIFICATION GRINDING WHEEL

DIMENSION		SHAPE	SPEED	SPEED	SLICE/ BOX	OUTER SPECIFICATIONS
mm	inc		R.P.M	m/s		
100x3x16	4x1/8x5/8		15300	80	400	470x215x235
100x6x16	4x1/4x5/8		15300	80	200	470x215x235
115x3x22	4½x1/8x7/8		13200	80	300	470x240x120
115x6x22	4½x1/4x7/8		13200	80	150	470x240x120
125x3x22	5x1/8x7/8		12000	80	200	425x295x160
125x6x22	5x1/4x7/8		12000	80	100	425x295x160
150x3x22	6x1/8x7/8		9700	80	200	345x335x225
150x6x22	6x1/4x7/8		9700	80	100	345x335x225
180x3x22	7x1/8x7/8		8100	80	100	400x205x210
180x6x22	7x1/4x7/8		8100	80	50	400x205x210
230x3x22	9x1/8x7/8		6200	80	80	240x240x150
230x6x22	9x1/4x7/8		6200	80	40	240x240x150

DIAMOND SAW BLADE



SEGMENTED



Concrete



Marble



Granite

APPLICATION



SPECIFICATION SEGMENTED

ITEM NUMBER	OUTER DIAMETER (D)		INNER DIAMETER (D)		SEGMENT THICKNESS
	INCHES	METRIC (MM)	INCHES	METRIC (MM)	
KD115S	4.5"	115	7/8"	22.23	2.2
KD125S	5"	125	7/8"	22.23	2.2
KD150S	6"	150	7/8"	22.23	2.2
KD180S	7"	180	7/8", 1"	22.23	2.4
KD230S	9"	230	7/8", 1"	22.23/25.4	2.8
KD250S	10"	250	7/8", 1"	22.23/25.4	2.8
KD300S	12"	300	7/8", 1"	22.23/25.4	3.2
KD350S	14"	350	7/8", 1"	22.23/25.4	3.2
KD400S	16"	400	7/8", 1"	22.23/25.4	3.2

* Different arbor sizes and segment specifications are available upon request.

DIAMOND SAW BLADE



CONTINUOUS

APPLICATION



Concrete



Marble



Granite





SPECIFICATION CONTINUOUS

ITEM NUMBER	OUTER DIAMETER (D)		INNER DIAMETER (D)		SEGMENT THICKNESS
	INCHES	METRIC (MM)	INCHES	METRIC (MM)	
KD115C	4.5"	115	7/8"	22.23	2.2
KD125C	5"	125	7/8"	22.23	2.2
KD150C	6"	150	7/8"	22.23	2.2
KD180C	7"	180	7/8", 1"	22.23	2.4
KD230C	9"	230	7/8", 1"	22.23/25.4	2.8

* Different arbor sizes and segment specifications are available upon request.

DIAMOND SAW BLADE



TURBO







SPECIFICATION TURBO

ITEM NUMBER	OUTER DIAMETER (D)		INNER DIAMETER (D)		SEGMENT THICKNESS
	INCHES	METRIC (MM)	INCHES	METRIC (MM)	
KD115T	4.5"	115	7/8"	22.23	2.2
KD125T	5"	125	7/8"	22.23	2.2
KD150T	6"	150	7/8"	22.23	2.2
KD180T	7"	180	7/8", 1"	22.23	2.4
KD230T	9"	230	7/8", 1"	22.23/25.4	2.8

* Different arbor sizes and segment specifications are available upon request.

T.C.T SAW BLADE



FOR WOOD


T.C.T SAW BLADE



FOR METAL









SPECIFICATION T.C.T-WOOD

ITEM NUMBER	OUTER DIAMETER (D)		INNER DIAMETER (D)		TEETH NO.
	INCHES	METRIC (MM)	INCHES	METRIC (MM)	
KT165WD	6.5"	165	7/8", 1", 1-1/5"	22/25.4/30	24T
KT185WD	7 1/4"	185	7/8", 1", 1-1/5"	22/25.4/30	24T, 48T, 60T
KT190WD	7 1/2"	190	7/8", 1", 1-1/5"	22/25.4/30	24T, 36T, 48T
KT230WD	8 1/4"	210	7/8", 1", 1-1/5"	22/25.4/30	24T

* Different arbor sizes and segment specifications are available upon request.

SPECIFICATION T.C.T-METAL

ITEM NUMBER	OUTER DIAMETER (D)		INNER DIAMETER (D)		TEETH NO.
	INCHES	METRIC (MM)	INCHES	METRIC (MM)	
KT110MT	4 "	110	7/8", 1"	20/22.2	20T, 24T
KT185MT	7"	185	7/8", 1"	20/22.2	32T, 36T, 48T,
KT255MT	10"	255	1"	25.4	48T, 52T, 60T
KT305MT	12"	305	1"	25.4	60T, 80T
KT355MT	14"	355	1"	25.4	60T,66T,72T,80T,90T
KT400MT	16"	400	1"	25.4	72T, 80T, 100T
KT450MT	18"	450	1"	25.4	80T, 100T
KT600MT	20 1/2"	600	1-1/4"	32	100T, 120T

* Different arbor sizes and segment specifications are available upon request.